# **ACCESSORIES**

# **FOR SINGLE DISCS**



Experience and expertise allows Ghibli & Wirbel to offer not just a machine, but real and complete cleaning system. The accessories are, especially in Single Disc Range, of great importance because they allows different applications and opening up new possibilities. Suction group to pick-up dust during sanding works, cleaning agent tank, additional weight, but the most basic and important very large range of brushes and discs, for shampooing, scrubbing, buffing, polishing, stripping, sanding and much more....

# HOW TO USE OUR BRUSHES AND PADS

					BRUSHES	PADS	PADS
DEEP CLEANING							
Linoleum							
PVC, vinyl, synthetic resin o	coatings						
Dark marble, granite, smoo	oth ground terrazzo						
Light-coloured/white marb	le						
Granite, porphyry, stone ca	arpet - structured						
Tiles, glazed brick							
Fine stoneware							
Studded rubber							
Carpet					0		
Concrete floor, resin coate	d						
MAINTENANCE CLE	ANING						
Linoleum						0	
PVC, vinyl, synthetic resin o	coatings					0	
Dark marble, granite, smoo	oth ground terrazzo					0	••
Granite, porphyry, stone ca	arpet - structured						
Tiles, glazed brick						0	
Fine stoneware						0	
Studded rubber							
Concrete floor, resin coate	d						
INTERIM CLEANING							
Carpet						0	
		BRUS	HES AND PADS	COLO	OURS		
White Rec	Gre	en	Brown	Yellow	Black	Blue/V	Vhite (microfiber)
						0	

#### **CLEANING AGENT TANK - CAPACITY 9 L**



REF.NO.		PCS
00-230	for single-discs machines D. 330 mm series	1

#### ERGOLINE CLEANING AGENT TANK - CAPACITY 12 L



	ERGOLINE CELANING AGENT TANK - CAFA	CITTIZE
REI	NO.	PCS
00-3	for single-discs D. 430 mm - 154-227 RPM - TSN 154 RPM - D mm series	. 505

# MEDIUM SCRUBBING BRUSHES



REF.NO.	Ø		PCS
00-232	13" - 305 mm	series D. 330	1
00-241	17" - 430 mm	series D. 430 - 154-227 RPM - TSN 154 RPM	1
00-261	20" - 480 mm	series D. 505	1

# **SOFT POLISHING BRUSHES**



REF.NO.	Ø		PCS
00-233	13" - 305 mm	series D. 330	1
00-242	17" - 430 mm	series D. 430 - 154-227 RPM - TSN 154 RPM	1
00-254	17" - 430 mm	series D. 430 - 400 RPM - TSN 308 RPM	1
00-262	20" - 480 mm	series D. 505	1

#### **CARPET CLEANING BRUSHES**



REF.NO.	Ø		PCS
00-234	13" - 305 mm	series D. 330	I
00-243	17" - 430 mm	series D. 430 - 154-227 RPM - TSN 154 RPM	1
00-263	20" - 480 mm	series D. 505	1

#### **VERY HARD TYNEX SCRUBBING BRUSHES**



REF.NO.	Ø		PCS
00-237	13" - 305 mm	series D. 330	1
00-246	17" - 430 mm	series D. 430 - 154-227 RPM - TSN 154 RPM	1
00-266	20" - 480 mm	series D. 505	1



PAI	) F	101	LDI	ERS	

REF.NO.	Ø		PCS
00-231	13" - 330 mm.	series D. 330	1
00-240	16" - 405 mm.	series D. 430	1
00-255	16" - 430 mm.	series D. 430 - 400 RPM - TSN 308 RPM	1
00-267	20" - 505 mm.	series D. 505	1

# **NYLON PAD**

# **VERY** SOFT

#### WHITE PADS



Disc suitable for the dry polishing of coated floors. For very bright finishes.

REF.NO.	Ø		PCS
CI3-WH	13" - 330 mm	series D. 330	6
CI7-WH	17" - 430 mm	series D. 430	6
C20-WH	20" - 505 mm	series D. 505	6

# **MEDIUM** SOFT

#### **RED PADS**



Disc suitable for regular maintenance; cleaning sign removal.

REF.NO.	Ø		PCS
C13-RE	13" - 330 mm	series D. 330	6
C17-RE	17" - 430 mm	series D. 430	6
C20-RF	20" - 505 mm	series D 505	6

# **MEDIUM** HARD

#### **GREEN PADS**



Disc suitable for partial wet stripping of not coated hard surfaces, for preparing hard surfaces before new coating and for stripping of linoleum and vinyl surfaces.

REF.NO.	Ø		PCS
CI3-GR	13" - 330 mm	series D. 330	6
C17-GR	17" - 430 mm	series D. 430	6
C20-GR	20" - 505 mm	series D. 505	6

#### **HARD**

#### **BROWN PADS**



Disc suitable both for the dry stripping of coated floors, and for the wet stripping with a normal chemical stripping agent.

REF.NO.	Ø		PCS
C13-BR	13" - 330 mm	series D. 330	6
C17-BR	17" - 430 mm	series D. 430	6
C20-BR	20" - 505 mm	series D. 505	6

# **VERY** HARD

# **BLACK PADS**



Disc suitable for the total wet stripping of hard surfaces with chemical stripping agents. Also suitable for heavy cleaning tasks on cement and industrial floors.

REF.NO.	Ø		PCS
C13-BL	13" - 330 mm	series D. 330	6
C17-BL	17" - 430 mm	series D. 430	6
C20-BL	20" - 505 mm	series D. 505	6

# ghibli & wirbel

# TWISTER PAD

**Twister™** is a revolutionary cleaning system consisting of floor pads prepared with billion of microscopic diamonds which clean and polish the floor mechanically instead of using chemicals.


**Outstanding quality**: clean floors with high gloss every day without waxes and polishers;

Cost efficient: faster, easier and cheaper cleaning;

**Environmental sustainability**: eco friendly cleaning, just add water;

User friendly: the same routine with better results;

Twister™ diamond pads can be used on most common floor surfaces such as terrazzo, ceramic tiles, linoleum, vinyl/plastic, natural stone and concrete. Twister™ is the tool that transforms your dull, worn floors into clean, glossy and brightly polished floors.



#### **HARD**



#### **RED TWISTER PADS**

For heavy duty cleaning of worn stone floors. Twister  $^{TM}$  Red will effectively remove scratches and stains from the surface and leaves a clean, matt surface prepared for the subsequent ister  $^{TM}$  steps.

REF.NO.	Ø		PCS
TI3-RE	13" - 330 mm	series D. 330	2
T17-RE	17" - 430 mm	series D. 430	2
T20-RE	20" - 505 mm	series D. 505	2

#### **MEDIUM**



# WHITE TWISTER PADS

Step I for the Standard or Intensive Twister™ method. Twister™ White will remove tiny scratches from the surface and leaves a silky matt, cleaned and well prepared surface for the subsequent Twister™ steps.

REF.NO.	Ø		PCS
TI3-WH	13" - 330 mm	series D. 330	2
T17-WH	17" - 430 mm	series D. 430	2
T20-WH	20" - 505 mm	series D. 505	2

#### **SOFT**



#### **YELLOW TWISTER PADS**

Step 2 for the Standard or Intensive Twister  $^{\text{TM}}$  method. This stage leaves a surface that is well prepared for the final step of the Twister  $^{\text{TM}}$  method.

REF.NO.	Ø		PCS
TI3-YE	13" - 330 mm	series D. 330	2
TI7-YE	17" - 430 mm	series D. 430	2
T20-YE	20" - 505 mm	series D. 505	2

# **VERY** SOFT



#### **GREEN TWISTER PADS**

Final step for the Standard or Intensive method and also for daily maintenance of the floor. This step will effectively maintain a high gloss on the surface when used regularly. Twister  $^{\text{TM}}$  Green is ideal for use on all floor surfaces such as stone, vinyl and linoleum floors.

REF.NO.	Ø		PCS
TI3-GR	13" - 330 mm	series D. 330	2
TI7-GR	17" - 430 mm	series D. 430	2
T20-GR	20" - 505 mm	series D. 505	2

# **SPECIAL** DISCS



# **GORILLA DISCS**

Disc suitable for medium/high stripping.

REF.NO.	Ø		PCS
06-406-23	16" - 405 mm	series HS 1000 RPM	5
06-398-23	17" - 430 mm	series D. 430	5
06-404-23	20" - 505 mm	series D. 505	5

# **MICROFIBER DISCS**



Disc to wash and to polish structured (irregular and porous), or delicate (wood and parquet) surfaces, not abrasive, it produces a medium brightness.

REF.NO.	Ø		PCS
06-210-00	13" - 330 mm	series D. 330	1
06-230-00	17" - 430 mm	series D. 430	1
06-405-00	20" - 505 mm	series D. 505	1

#### **SCARYFYING BRUSH**



Disc for scaryfying: Floor type: smooth

REF.NO.	Ø		PCS
00-247*	384 mm	series D. 430 mm	I

#### **CARBORUNDUM DISC**



Disc for granding. Floor type: uneven

REF.NO.		PCS
00-249*	series D. 430 mm	1

# **VIDIA DISC MEDIUM GRAIN**



Disc for the removal of glue of little thickness, varnishes and resins, and for the preparation of concrete foundations.

REF.NO.		PCS
00-271*	series D. 430 mm	I
00-271-00	SPARE PART vidia disc medium grain.	I

# **VIDIA DISC COARSE GRAIN**



Disc for the removal of old glue of big thickness, varnishes and resins, and for the preparation of concrete foundations.

REF.NO.		PCS
00-272*	series D. 430 mm	1
00-272-00	SPARE PART vidia disc coarse grain.	I

<sup>\*</sup> Suitable for SB 143 L16/L22 models

#### **VIDIA DISC CONTRA-ROTATING ROLLERS**



Disc to knurl marble, granite, fine stoneware, etc. and for the preparation of anti-slip surfaces.

REF.NO.		PCS
00-274	series D. 430 mm - 154-227 RPM - TSN 154 RPM	
00-274-00	SPARE PART vidia disc contra-rotating rollers	I

#### **PLASTER DISC**



Disc to plaster floor crevices.

REF.NO.		PCS
00-276*	series D. 430 mm	I

#### **SMOOTHING DISC**



Disc to smooth still soft concrete and to get a vibrated and hard surface.

REF.NO.		PCS
00-275*	series D. 430 mm	1
00-275-00	SPARE PART smoothing disc	1

# **SANDING** WOODEN FLOORS

# SANDING PAD HOLDER FOR PAPER DISCS



REF.NO.	Ø		PCS
00-238	330 mm	series D. 330	I
00-253	405 mm	series D. 430	1

# **PAPER DISCS**



For sanding wooden floors.

REF.NO.	Ø		PCS
05-415-00	16" - 405 mm	GRAIN 16.	I
05-416-00	16" - 405 mm	GRAIN 24.	1
05-417-00	16" - 405 mm	GRAIN 36.	I
05-418-00	16" - 405 mm	GRAIN 60.	1

# **NET DISCS 16"**



For sanding wooden floors.

REF.NO.	Ø		PCS
05-407-BB	16" - 405 mm	GRAIN 80.	1
05-407-EE	16" - 405 mm	GRAIN 120.	1
05-407-FF	16" - 405 mm	GRAIN 180.	I

<sup>\*</sup> Suitable for SB 143 L16/L22 models






It increases notably the speed of the tools for polishing marble. (for using with accessories below)

REF.NO.	Ø		PCS
00-277*	430 mm.	series D. 430 mm	I

# **DIAMOND DISCS W140**



It increases notably the speed of the tools for polishing marble.

REF.NO.		PCS
05-277-01	W140 - GRAIN 60.	1
05-277-02	W140 - GRAIN 120.	1
05-277-03	W140 - GRAIN 400.	1
05-277-04	W140 - GRAIN 800.	1
05-277-05	W140 - GRAIN 1800.	1

# PAD HOLDER (VELCRO) W140 FOR PLANETARY DISC



(for using with paper discs below)

REF.NO.	Ø		PCS
05-277-30	140 mm	series D. 430 mm - 154-227 RPM - TSN 154 RPM D. 505 mm	I

# PAPER DISC W140 FOR 05-277-30 MODEL



For velcro drive board. Sanding wooden floors.

REF.NO.		PCS
05-277-40	W140 - GRAIN 24.	30
05-277-41	W140 - GRAIN 36.	30
05-277-42	W140 - GRAIN 60.	30
05-277-43	W140 - GRAIN 80.	30
05-277-44	W140 - GRAIN 120.	30

<sup>\*</sup> Suitable for SB 143 L16/L22 models

# **OTHERS** ACCESSORIES

# WOOL STEEL DISC - 430 MM (FOR STANDARD PAD HOLDER 00-240)



Wool steel disc of elevated thickness usable on both sides. For marble crystallization.

REF.NO.	Ø		PCS
05-412-00	430 mm	series D. 430 mm serie D. 505 mm	12

# **VIDIA DISCS (FOR PAD HOLDER 00-253)**



Disc for the removal of varnishes and resins, and for the preparation of concrete foundations.

REF.NO.	Ø		PCS
05-440-00	430 mm	GRAIN 24. Series D. 430 mm	I
05-441-00	430 mm	GRAIN 36. Series D. 430 mm	I

# **SPLASH GUARD**



Only for using with planetary disc 00-277.

REF.NO.		PCS
00-278	series D. 430 mm	I



# **ADDITIONAL WEIGHT 10 KG**

REF.NO.	Ø		PCS
14-110	17"	series D. 430 mm SB 143 L - SB 143 M	1
14-111	20"	series D. 505 mm SB 150 L	I





Cleaning agent tank - capacity			
REF.NO.		PCS	
00-256EL	SB 150 U13	1	
00-356EL-GH	H16 - TSN - SB HS 1000	1	

# SUCTION KIT + RING 17" - 430 MM



D. 430 mm - 154-227 RPM - TSN 154 RPM series (without single discs)

REF.NO.		PCS
00-257	Complete vacuuming kit for dust recovery (sanding wood) (A)	1
01-700	Suction kit (B)	1
01701A	Suction ring 17" - 430 mm (C)	1

# **ERGOLINE SET**



Set tank 121- pad holder 16" - brush 17".

REF.NO.		PCS
00-101	series 17" - 154 RPM	I